

Link do produktu: <https://www.gotronik.pl/bateria-alkaliczna-6lr61-9v-duracell-industrial-1-szt-p-6579.html>




Bateria alkaliczna 6LR61 9V Duracell Industrial - 1 szt.

Cena brutto	8,25 zł
Cena netto	6,71 zł
Czas wysyłki	24 godziny
Numer katalogowy	X-BAT0005

Opis produktu

Bateria alkaliczna 6LR61 9V (R9*) Duracell Industrial - 1 szt.



BATERIA 6LR61/9V DURACELL INDUSTRIAL. Powszechnie stosowane oznaczenie: Baterie R9* (9V). Baterie alkaliczne do zastosowań profesjonalnych! R9 to prawidłowe oznaczenie innego typu baterii: V625U, jednak konsumenci powszechnie stosują oznaczenie R9 dla baterii typu 6LR61 9V.

DURACELL INDUSTRIAL to energia dla najbardziej wymagających urządzeń! Baterie **Duracell Industrial** są przemysłowym standardem wzmocnionych baterii alkalicznych Duracell.


Te wysokiej jakości baterie alkaliczne skierowane są do przedsiębiorstw i przeznaczone do największych obciążeń. Charakteryzują się one wysoką wydajnością w całym okresie żywotności nawet w trudnych warunkach!!

- **napięcie [V]:** 9
- **model:** 6LR61, 6LF22
- **rozmiar:** 9V
- **długość [mm]:** 25.5
- **szerokość [mm]:** 16.5
- **wysokość [mm]:** 47.5
- **Data ważności:** 2023


INDUSTRIAL
BY **DURACELL**

ID1604
Size: 9V (6LF22)
Alkaline-Manganese Dioxide Battery



Zn/MnO₂



Nominal voltage	9 V
Impedance	3,050 m-ohm @ 1 kHz
Typical weight	45 g (1.6 oz)
Typical volume	22.8 cm ³ (1.4 in ³)
Terminals	Miniature snap
Storage temperature range	5°C to 30°C (41°F to 86°F)
Operating temperature range	-20°C to 54°C (-4°F to 130°F)
Designation	IEC: 6LF22



Dimensions shown are IEC standards



DURACELL
BATTERIES

Berkshire Corporate Park
Bethel, CT. 06801 U.S.A.
Telephone: Toll-free 1-800-544-5454
www.duracell.com

Delivered capacity is dependent on the applied load, operating temperature and cut-off voltage. Please refer to the charts and discharge data shown for examples of the energy/service life that the battery will provide for various load conditions.

This data is subject to change. Performance information is typical. Contact Duracell for the latest information.





ID9VINWE0514

Page 1 of 2

INDUSTRIAL
BY **DURACELL**

ID1604
Size: 9V (6LF22)
Alkaline-Manganese Dioxide Battery

Zn/MnO₂



DURACELL
BATTERIES

Berkshire Corporate Park
Bethel, CT. 06801 U.S.A.
Telephone: Toll-free 1-800-544-5454
www.duracell.com

Delivered capacity is dependent on the applied load, operating temperature and cut-off voltage. Please refer to the charts and discharge data shown for examples of the energy/service life that the battery will provide for various load conditions.

This data is subject to change. Performance information is typical. Contact Duracell for the latest information.

ID9VINWE0514

Page 2 of 2