

Link do produktu: <https://www.gotronik.pl/uv80-bezhalogenowa-pasta-lutownicza-topnik-flux-mechanic-60g-p-10446.html>



UV80 bezhalogenowa pasta lutownicza topnik flux Mechanic 60g

Cena brutto	20,00 zł
Cena netto	16,26 zł
Czas wysyłki	24 godziny
Numer katalogowy	MCH-UV80
Kod producenta	UV80
Producent	Mechanic

Opis produktu

UV80 bezhalogenowa pasta lutownicza Mechanic 60g



Pasta lutownicza produkcji Mechanic UV80 przeznaczony jest do użytku ogólnego jak i do stosowania przy lutowaniu elementów SMD oraz układów BGA. Bezhalogenowa pasta lutownicza. Stosowanie topnika w procesie lutowania wspomaga proces, równomiernie dystrybuuje ciepło ze stacji lutowniczej, zapobiega osadzaniu się pozostałości topnika na ścieżkach oraz zapobiega klejeniu się spoiwa lutowniczego. Produkt przeznaczony dla profesjonalistów jak i hobbystów.

Parametry techniczne

- producent: Mechanic
- produkt: UV80
- pasta lutownicza, flux, topnik
- topnik nie zawiera kwasu
- pasta bezhalogenowa
- przeznaczenie ogólne do lutowania SMD, BGA
- pojemność opakowania: 60g
- produkt przeznaczony dla profesjonalistów jak i amatorów

Oferta dotyczy sprzedaży 1szt. topnika UV80-60g







SOLDER PASTE

HIGH BONDING STRENGTH, NEUTRAL PH VALUE
STRONG INSULATION
SMOOTH WELDING SURFACE



The image shows a person's hands working on a circuit board with a soldering iron. In the foreground, a blue and green tin of Mechanic UV80 Flux paste is prominently displayed. The tin features a logo with a man's face and the text 'Mechanic', 'PCB/BGA/PGA/SMD', and '高端电子制程返修专用'. It also includes safety warnings in English and Chinese, a QR code, and the manufacturer's name: 'Supervised by HONG KONG WELSOLO METAL TECHNOLOGY CO., LTD'. To the right of the tin, the text 'SOLDER PASTE' is written in large blue letters, followed by 'HIGH BONDING STRENGTH, NEUTRAL PH VALUE', 'STRONG INSULATION', and 'SMOOTH WELDING SURFACE'.

Mechanic
PCB/BGA/PGA/SMD
高端电子制程返修专用

UV80
Flux paste(助焊膏)

CAUTION-HARMFUL IF SWALLOWED
OR INHALED
RESPIRATORY IRRITANT
This product may also contain rosin(a sensitizer).
Use with adequate ventilation.
Avoid breathing fumes, especially when soldering.
Wash after handling. Do not re-use containers.
FOR INDUSTRIAL USE ONLY
KEEP AWAY FROM CHILDREN
SEE MATERIAL SAFETY DATA
SHEET BEFORE USE

Supervised by
HONG KONG WELSOLO
METAL TECHNOLOGY CO., LTD

SOLDER PASTE
HIGH BONDING STRENGTH, NEUTRAL PH VALUE
STRONG INSULATION
SMOOTH WELDING SURFACE





